



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

CNG TRANSMISSION

219 ELLIS HOLLOW CREEK RD

ITHACA, NY NO ZIP PROVIDED

Spill Number: 9806491

Close Date: 12/28/2000

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 14850

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Affected Persons

Caller Name: MIKE ANTONETTI

DEC Investigator: RJBRAZEL

Spiller: FRED SOLVENSON – CNG TRANSMISSION

Notifier Name: MIKE ANTONETTI

Caller Agency: DANES AMPERSAND MOORE

Contact for more spill info: FRED SOLVENSON

Spiller Phone: (607) 273-0623

Notifier Phone: (412) 351-2006

Caller Phone: (412) 351-2006

Contact Person Phone: (607) 273-0623

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
08/26/1998		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	1.00	GALLONS	0.00	GALLONS	GROUNDWATER

Caller Remarks:

CALLER IS WITH AN ENVIRONMENTAL CONSULTING AGENCY AND **DISCOVERED AN OLD DISPOSAL AREA WHERE AN UNKNOWN HEAVY PETROLEUM HAS BEEN DUMPED**

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was RB



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

CNG TRANSMISSION
ELLIS HOLLOW RD

ITHACA, NY NO ZIP PROVIDED

Spill Number: 9107079

Close Date: 11/21/1991

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE
 Revised zip code: 14850

Source of Spill: COMMERCIAL/INDUSTRIAL
 Notifier Type: Responsible Party
 Caller Name: JIM MEYERS
 DEC Investigator: ROMOCKI

Spiller: CNG TRANSMISSION
 Notifier Name:
 Caller Agency: CNG TRANSMISSION
 Contact for more spill info:

Spiller Phone: (607) 273-0623
 Notifier Phone:
 Caller Phone: (607) 273-0623
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
10/01/1991	11/21/1991	TANK OVERFILL	UNKNOWN	NO

Material Spilled	Material Class	Quantity Spilled		Quantity Recovered		Resource(s) Affected
		Units		Units		
The following material was dropped or revised by the NYS DEC. WASTE OIL/USED OIL	PETROLEUM	0.00	GALLONS	0.00	GALLONS	

Caller Remarks:

CONTAMINATED SOIL DISCOVERED DURING TANK REMOVAL. POSSIBLE PCB CONTAMINATED OIL MAY HAVE BEEN STORED IN THE TANK.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was MR 10/02/91: TANK REMOVAL AND CLEANUP BY JOHN BOSLEY CONSTRUCTION, P.O. BOX 67, MINERAL WELLS WEST VA. PHONE; 304-489-1120 ; CLOSURE REPORT TO BE SENT. 11/21/91: REC'D TANK CLOSURE REPORT. NO PCB'S IDENTIFIED IN SAMPLES TAKEN FROM THE SITE. 09/28/95: This is additional information about material spilled from the translation of the old spill file: POSSOBLE PCBs.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

WOODHALL COMPRESSOR STATION
974 COUNTY ROUTE 99

WOODHULL, NY 14898

Spill Number: 0912610

Close Date: 02/10/2011

ADDRESS CHANGE INFORMATION
 Revised street: 974 COUNTY HIGHWAY 99
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL
 Notifier Type: Other
 Caller Name:
 DEC Investigator: cmkehoe

Spiller: ROLAND PRATT – DOMINION TRANSMISSION
 Notifier Name:
 Caller Agency:
 Contact for more spill info: ROLAND PRATT

Spiller Phone:
 Notifier Phone:
 Caller Phone:
 Contact Person Phone: (607) 329-2751

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
03/03/2010		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
WASTE OIL/USED OIL	PETROLEUM	20.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

APPROXIMATELY 15-20 GALLONS SPILLED TO SOIL. CLEANUP IN PROGRESS.

DEC Investigator Remarks:

03/04/2010: CK TO FOLLOW UP.

03/04/10 KEHOE CALL TO PRATT, COMPRESSOR BLOWS DOWN TO A TANK THAT WAS SUPPOSEDLY EMPTY OR AT LEAST HAD SOME SPACE FOR MORE OIL BUT DID NOT. THIS CAUSED OIL IN THE TANK TO BE BLOWN OUT, SOME CONTAINED IN SECONDARY BUT MOST WAS SPRAYED OVER THE GROUND SURFACE NEARBY. THEY HAVE A CREW WORKING TO COLLECT IMPACTED SOIL.

06/14/10 1435 KEHOE TELECON WITH ROLAND PRATT, DOCUMENTS ARE TOGETHOR, WILL EMAIL THEM OUT TOMORROW.

02/08/11 EMAIL FROM PRATT WITH DISPOSAL RECEIPT AND CONFIRMATION 18,820 LBS OF SOIL WAS DISPOSED OF. CLOSED



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

WOODHULL COMPRESSOR STA
COUNTY ROUTE 99

WOODHULL, NY NO ZIP PROVIDED

Spill Number: 9512515

Close Date: 12/13/1996

ADDRESS CHANGE INFORMATION
 Revised street: COUNTY HIGHWAY 99
 Revised zip code: 14898

Source of Spill: COMMERCIAL/INDUSTRIAL
 Notifier Type: Responsible Party
 Caller Name: DAVID SWISHER
 DEC Investigator: SARODABA

Spiller: CNG TRANSMISSION COMP
 Notifier Name:
 Caller Agency: CNG TRANSMISSION CORP
 Contact for more spill info:

Spiller Phone:
 Notifier Phone:
 Caller Phone: (814) 628-6064
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.
 Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/04/1996		EQUIPMENT FAILURE	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NATURAL GAS	OTHER	0.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

Threaded collar on 2in underground pipeline failed—line seperated allowing distillate to leak to surrounding soils. Line has been repaired and approx 67 tons of soil excavated in initial cleanup attempt. Cleanup verification samples taken results expected in 1 week. SR to follow up.

(info taken via fax fm reg 8)

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was SR 12/13/96 THIS SPILL NUMBER WILL BE CLOSED OUT. FOR ALL FUTHER UPDATES REFER TO SPILL #9412219.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

CNG TRANSMISSION RIVERSIDE PORT

Spill Number: 9310557

Close Date: 09/30/1994

RIVERSIDE AVE PORT OF RENS PAPSCANEE CREEK

EAST GREENBUSH PIPELINE RENS Z, NY NO ZIP PROVIDED

ADDRESS CHANGE INFORMATION

Revised street: RIVERSIDE AV PORT OF RENS

Revised zip code: 12061

Source of Spill: UNKNOWN
 Notifier Type: DEC
 Caller Name: MARK DOMAGALA
 DEC Investigator: DOMAGALA

Spiller: CNG
 Notifier Name:
 Caller Agency: DEC
 Contact for more spill info:

Spiller Phone: (518) 477-1076
 Notifier Phone:
 Caller Phone: (518) 382-0680
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Unable or Unwilling RP – DEC Field Response – DEC Corrective Action Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
11/29/1993	09/30/1994	OTHER	UNKNOWN		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	0.00	POUNDS	0.00	POUNDS	SURFACE WATER

Caller Remarks:

CNG DEWATERING FOR NAT GAS PIPELINE INSTALLATION, SHEEN ON DISCHARGE T O CREEK, SAMPLING. SEE 9310491,9310786,9310797,9310807,9310820,9310821 ,9310822,9310917,9311051,9311416,9311791,9401959. HISTORY

DEC Investigator Remarks: DEC INVESTIGATOR REMARKS NOT AVAILABLE FOR THIS SPILL ACCORDING TO THE LAST UPDATE.

The following DEC Investigator Remarks were available prior to 1/1/2002:

03/15/95: **CONSENT ORDER SIGNED AND PENALTY PAID.**

09/28/95: This is additional information about material spilled from the translation of the old spill file: HEAVY SHEEN.

complete at regional level. md.

SEE FILE.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

CNG TRANSMISSION CORP
974 COUNTY ROUTE 99

WOODHULL, NY 14898

Spill Number: 9412219

Close Date: 06/12/1998

ADDRESS CHANGE INFORMATION
 Revised street: 974 COUNTY HIGHWAY 99
 Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL
 Notifier Type: Responsible Party
 Caller Name: DAVE SWISHER
 DEC Investigator: SARODABA

Spiller: CNG TRANSMISSION
 Notifier Name:
 Caller Agency: CNG TRANSMISSION
 Contact for more spill info:

Spiller Phone: (814) 367-2237
 Notifier Phone:
 Caller Phone: (607) 458-5160
 Contact Person Phone:

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.
 Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
12/09/1994	06/12/1998	EQUIPMENT FAILURE	NO	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

FILL LINE FROM NATURAL GAS TRANSMISSION LINE TO SEPARATION TANK SEPARATED AT A COLLAR. AREA WAS RECENTLY UNDER CONSTRUCTION & SETTLING IS BELIEVED TO HAVE CAUSED LEAK. CONTACT: DAVE SWISHER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was SR 12/09/94: JOEL CUMBERLIDGE CONTACT IN WV; LINE IS 2 DIAMETER, 3 FT BELOW GRADE. **LEAK WAS DISCOVERED WHEN THEY WERE BLOWING DOWN GAS & WATER TO TANK.** BACKHOE EXCAVATED SOME CONTAMINATED SOIL, BUT BECAUSE...

12/09/94: ...OF NEW CONSTRUCTION & SOFT SOILS BACKHOE KEPT GETTING STUCK. ABSORBENTS PUT DOWN TO COLLECT MATERIAL COMING TO SURFACE. NEAREST RESIDENCE IS STATION'S CARETAKER HOUSE APPROX 500 FT AWAY.

12/09/94: PBS # 8-445134; TANK #004, 8,000 GALLON TANK.

03/23/95: SR ON SITE; EXCAVATED SOIL PILE NEAR AREA OF SPILL, BOOMS DEPLOYED. NO VISUAL INDICATION OF CONTAMINATION, NO ODOR. CNG HAS TAKEN SOIL SAMPLES & PERFORMED BORINGS, RESULTS TO BE FORWARDED TO SR.

09/28/95: This is additional information about material spilled from the translation of the old spill file: NAT GAS DISTILATES

11/28/95 100 TONS OF CONTAMINATED SOIL EXCAVATED AND DISPOSED OF AT COUNTY ENVIRONMENTAL LANDFILL, PA. CONFIRMATORY SAMPLING SHOWS NON-DETECT EXCEPT FOR ONE SAMPLE. FURTHER EXCAVATION NOT POSSIBLE AS HIGH PRESSURE LINES EXIST. GROUNDWATER SAMPLES ON DOWNGRAIDENT IMPACTED WELLS TO BE REQUESTED FOR SPRING OF 1996.

12/13/96 SOIL PILE FOR JAN 1996 RELEASE CLEAN PER STARS. MONITORING WELL RESULTS SHOW MW-1: 53 PPB BENZENE, APPROX 243 PPB BTEX; MW-2: NON-DETECT; MW-3: 79.6 PPB BENZENE, N.D. OTHERWISE.

RESAMPLING TO BE SCHEDULED FOR SPRING 1997.

04/22/97 SAMPLE RESULTS SHOW: MW-1 WITH 43 PPB BENZENE, 72.5 PPB ETHYLBENZENE, 91.9 XYLENE; MW-2 WITH N.D; MW-3 WITH 64.5 PPB BENZENE.

05/29/98 BASED ON RELATIVELY MINOR PETRO. CONCENTRATIONS AND NO NEARBY RECEPTORS, NO FURTHER ACTION TO BE REQUESTED, CLOSURE LETTER SENT.

07/29/10: PAPER FILE REMOVED PER FILE RETENTION POLICY.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

CNG TRANSMISSIONS

1103 HIGBY RD

NEW HARTFORD, NY NO ZIP PROVIDED

Spill Number: 9912031

Close Date: 07/29/2016

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 13413

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Responsible Party

Caller Name: JOHN PASTELOCK

DEC Investigator: MCTIBBE

Spiller: JOHN PASTELOCK – CNG TRANSMISSIONS

Notifier Name: SAME

Caller Agency: C&G TRANSMISSION

Contact for more spill info: JOHN PASTELOCK

Spiller Phone: (814) 628-6064

Notifier Phone:

Caller Phone: (814) 628-6064

Contact Person Phone: (814) 628-6064

Category: Known or probable release, where, without action, there is a potential for a fire/explosion hazard (indoors or outdoors), contamination of drinking water supplies, or significant release to surface waters.

Class: Willing RP – No DEC Field Response – Corrective Action Initiated or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
01/18/2000		EQUIPMENT FAILURE	NO	NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL
#4 FUEL OIL	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL
#6 FUEL OIL	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL
BLACKTOP	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL
AUTO WASTE FLUIDS	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL
UNKNOWN PETROLEUM	PETROLEUM	0.00	GALLONS	0.00	GALLONS	SOIL

Caller Remarks:

SOIL CONTAMINATION DISCOVERED AT ABOVE LOCATION. SPILL IS HISTORIC IN NATURE. CALLER HAS BEEN IN CONTACT WITH DEC AND WILL FOLLOW UP WITH GARY MCCULIK FROM WATERTOWN OFFICE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was DER,U,S,O 01/18/2000: SPOKE WITH CALLER. **C & G TRANSMISSIONS DID A VOLUNTARY SITE ASSESSMENT AND DETECTED A PETROLEUM RELEASE.** HAVE A REMEDIATION PLAN IN PLACE. WILL FORWARD SAR AND REMEDIATION PLAN FOR REVIEW (JA).

04/09/01: REVIEWED RAP. SENT LETTER THAT FIRE GATE BLD. AND TRASH PIT AREA ARE OK BUT NEED DISPOSAL RECEIPTS. OUTFALL ON HIGBY WAS NOT ADDRESSED.(JA)

RECEIVED SOIL DISPOSAL PAPERWORK. 2659.79 TONS SENT TO RAPP RD LANDFILL IN ALBANY. COVER LETTER REQUESTING CLOSURE AS DOT EXCAVATED DITCH IN FALL 1999. (JA)

7/3/2002: SOME CONTAMINATION REMAINS IN DITCH. INACTIVE. (DJ)

7/29/2016: After review of the file, it was determined that the spill could be closed. Three areas of concern (AOC) were identified during an initial investigation: AOC 1 – Fire Gate Building; AOC 2 Outfall at Swale; AOC 3 Inactive Trash Pit. Soil was the only media of concern since 2 water wells and surface water sampling was all ND.

SVOC contamination was identified in the soil under some valves in AOC 1. Subsequently, soil was removed to a depth of 4–4.5 feet throughout the small building (approx. 65 square feet). Endpoint samples for SVOCs were all ND.

Low level VOCs and SVOCs were identified in AOC 3, along with trash that may have contained petroleum contamination. Although initially it was decided to cap the old trash pit, the RP decided to excavate the trash pit to attempt to achieve spill closure. Soil was remove down to a depth of 5–6 feet where a shallow water table was encountered. The area excavated was approximately 1600 square feet. In total between the 2 AOCs, 2659.79 tons of soil were excavated and properly disposed.

SVOC contamination was initially identified in the drainage swale (AOC 2) up and down gradient of the outfall. Subsequent sampling showed higher SVOC levels just downgradient of the outfall in the area where NYS DOT was doing roadwork at the time of the investigation. A sample 1000 feet upgradient of the outfall had similar results to the initial sampling. The RP's consultant speculated that the SVOC contamination was consistent with normal road runoff and that the elevated levels were likely attributable with the road construction. The Department asked for VOC sampling since this had not been done during either phase of investigation. Subsequent samples identified low level VOC contamination below TAGM 4046 guidance values. Also, it was noted that the NYS DOT in the fall of 1999 (just after the first 2 investigations) had deepened (by 2.5 feet) and widened (by 2 feet) the drainage swale in the area of the sampling during the 2 prior investigations likely removing the higher SVOC contamination previously identified.

Based on this info, the spill will be closed and no further action is required. MCT