



Toxics Targeting 1/4 Mile Buffer Closeup Map

Eagle Valley Road
Bath, NY 14810



Steuben County

- | | |
|---|--|
| National Priority List (NPL) * | Delisted NPL Site ** |
| CERCLIS Superfund Non-NFRAP Site ** | CERCLIS Superfund NFRAP Site |
| Inactive Hazardous Waste Disposal Registry Site * | Inact. Haz Waste Disp. Registry Qualifying * |
| Hazardous Waste Treater, Storer, Disposer ** | RCRA Corrective Action Facility * |
| Hazardous Substance Waste Disposal Site ** | Solid Waste Facility ** |
| Major Oil Storage Facility *** | Brownfields Site ** |
| Chemical Storage Facility *** | Hazardous Material Spill ** |
| Toxic Release *** | Petroleum Bulk Storage Facility *** |
| Wastewater Discharge *** | Hazardous Waste Generator, Transp. *** |
| Enforcement Docket Facility *** | Air Release *** |
| Subject Area | Waterbody |
| County Border | Railroad Tracks |
| 1/4 Mile Radius | 1/8 Mile Radius |

* 1 Mile Search Radius
*** 1/4 Mile Search Radius

** 1/2 Mile Search Radius



Scale: 1 inch = 1049 feet



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

ENERGY MIDSTREAM, LLC (LPG STORAGE)

EAGLE VALLEY RD , NY NO ZIP PROVIDED

Spill Number: 0751525

Close Date: 05/20/2009

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Fire Department

Caller Name:

DEC Investigator: pclinden

Spiller: INERGY MIDSTREAM LLC

Notifier Name:

Caller Agency:

Contact for more spill info:

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone:

Category: Known release which created a fire/explosion hazards (inside or outdoors), drinking water supply contamination, or significant releases to surface waters.

Class: Any Type of RP, Including No RP – DEC Field Response – Corrective Action Not Required or Not Possible

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended		
03/10/2008		UNKNOWN	NO	NO		
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
LPG	OTHER	0.00	GALLONS	0.00	GALLONS	AIR

Caller Remarks:

A FIRE AND EXPLOSION OCCURRED AT THE UNDERGROUND PROPANE STORAGE FACILITY WHILE THEY WERE LOADING TANKS (APPARENTLY RAIL TANKERS). CALLS HAD BEEN RECEIVED BY LOCAL AND/ OR COUNTY EMERGENCY SERVICES ~0830-0930 IN BATH VILLAGE (NW OF SITE) ABOUT GAS ODOR IN AIR. AT THAT TIME BATH PETROLEUM REPLIED THAT THEY WERE FILLING A LOT OF TANKS AND WOULD BE DOING SO ALL DAY. SUBSEQUENTLY STEUBEN EMERG SERVICES ADVISES THAT THE INCIDENT WAS A FLASH FIRE WHICH OCCURRED DURING A DRILLING OPERATION PRESUMABLY FOR A NEW STORAGE CAVERN.

DEC Investigator Remarks:

LINDENFELSER NOTIFIES ACTING RRC & LINDA COLLART (MINERALS). NO FURTHER ACTION BY SPILLS IS NECESSARY.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

BATH PETROLEUM STORAGE IN
EAGLE VALLEY ROAD

BATH, NY 14810

Spill Number: 9504957

Close Date: 11/14/1995

ADDRESS CHANGE INFORMATION
Revised street: EAGLE VALLEY RD
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL
Notifier Type: DEC
Caller Name: BILL MINER VIA FAX
DEC Investigator: PCLINDEN

Spiller: BATH PETROLEUM STORAGE IN
Notifier Name:
Caller Agency: DEC ALBANY
Contact for more spill info:

Spiller Phone:
Notifier Phone:
Caller Phone: (518) 457-2462
Contact Person Phone:

Category: Known release which created a fire/explosion hazards (inside or outdoors), drinking water supply contamination, or significant releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
07/19/1995	11/14/1995	OTHER	YES		NO	

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
NATURAL GAS	OTHER	0.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

FIRE IN GAS WELL. FIRE DEPARTMENTS ON SCENE. FAILIES EVACUATED. ROUTE 17 CLOSED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was PL 07/19/95: FIRE BROUGHT UNDER CONTROL AND ROAD REOPENED. SEE ATTACHED PLICE REPORT.

11/14/95 NO SPILL. NO FURTHER ACTION REQUIRED BY SPILLS.

05/27/10: PAPER FILE REMOVED PER FILE RETENTION POLICY.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

BATH PETROLEUM STORAGE

BATH PETROLEUM STORAGE FA

BATH, NY 14810

Spill Number: 8504495

Close Date: 06/01/1986

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: UNKNOWN

Source of Spill: UNKNOWN
 Notifier Type: Other
 Caller Name: LEO JACOBUS
 DEC Investigator: UNASSIGNED

Spiller:
 Notifier Name:
 Caller Agency:
 Contact for more spill info:

Spiller Phone:
 Notifier Phone:
 Caller Phone:
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/21/1986	06/01/1986	UNKNOWN	UNKNOWN	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

SURFACE SPILLAGE FROM WATER BUTANE/SEPARATOR DURING WELL CAVERN CLEANOUT PROCEDURES – DISCHARGE NOT PERMITTED UNDER SPDES.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was

// : **VIOLATIONS AND LEGAL ACTION: SPDES VIOLATION LETTER TO BE SENT BY T. PEARSON.**

// : NOTES: **FACILITY OF 2 20 MIL. GALS. BRINE STORAGE PONDS AND 6 WELL**

RESERVOIRS W/TOTAL CAPACITY OF 33.9 GALS OF LPG AND BUTANE.

// : ACTION: BATH F.D. & NAT. RES. WORKED W/BATH PETROL. STORAGE CO. TO MONITOR &

MITIGATE SEPARATION; BUTANE VAPORIZES READILY–EXPLO. MAY HAVE BEEN FROM SOILPLAN.

// : STATUS: JM (CLOSED) 86/05/06 INDUSTRIAL SPDES SECTION AND NATURAL RESOURCES TO FOLLOWUP AND MONITOR SATURATION – CLEANUP COMPLETE.

// : **EXTENT OF SPILL: EXPLOSION – OFFICE BUILDING.**

09/28/95: This is additional information about material spilled from the translation of the old spill file: BUTANE/WATER MIXTURE.

05/27/10: PAPER FILE REMOVED PER FILE RETENTION POLICY.



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

MOBIL PROPANE STORAGE

EAGLE ROAD

BATH, NY 14810

Spill Number: 7980223

Close Date: 02/28/1979

ADDRESS CHANGE INFORMATION
 Revised street: EAGLE VALLEY RD
 Revised zip code: NO CHANGE

Source of Spill: UNKNOWN
 Notifier Type: Local Agency
 Caller Name: M. SEBRING
 DEC Investigator: PEARSON

Spiller: MOBIL PROPANE STORAGE
 Notifier Name:
 Caller Agency: DOT
 Contact for more spill info:

Spiller Phone:
 Notifier Phone:
 Caller Phone:
 Contact Person Phone:

Category: Known petroleum or hazardous material release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters.

Class: Willing RP – DEC Field Response – Corrective Action Initiated, Taken Over, or Completed by RP or Other Agency

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards	Penalty Recommended
02/22/1979	02/28/1979	OTHER	UNKNOWN	NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

Caller Remarks:

CAUSE OF THE SPILL WAS A LEAKING CONNECTION.

06/01/10: PAPER FILE REMOVED PER FILE RETENTION POLICY.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was TP 2004/02/19 – RCVD_Time was previously blank and replaced with Spill_Time to fix a data translation problem... Bob Corcoran 09/28/95: **This is additional information about material spilled from the translation of the old spill file: LIQUID PETROLEUM GAS**



HAZARDOUS MATERIAL SPILLS INFORMATION REQUEST

INERGY MIDSTREAM NAT. GAS STORAGE
EAGLE VALLEY RD

SAVONA, NY 14679

Spill Number: 1112443

Close Date: 01/27/2012

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Affected Persons

Caller Name:

DEC Investigator: PCLINDEN

Spiller: INERGY MIDSTREAM

Notifier Name:

Caller Agency:

Contact for more spill info:

Spiller Phone:

Notifier Phone:

Caller Phone:

Contact Person Phone:

Category: Possible petroleum release with minimal potential for fire/explosion (indoors or outdoors), drinking water contamination, or releases to surface waters, known releases with no potential for damage, or non-petroleum/non-hazardous spills.
Class: Any Type of RP Including No RP – No DEC Field Response – Corrective Action by Spill Response Not Required

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		Penalty Recommended	
01/26/2012		OTHER	NO		NO	
Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
PROPANE GAS	OTHER	0.00	POUNDS	0.00	POUNDS	AIR

Caller Remarks:

CALLER REPORTS THAT PROPANE ODORS WHICH ARE OFTEN SMELLED IN SAVONA AREA ARE NOW NOTICEABLE AND OBJECTIONABLE AT RESIDENCE ON WASHINGTON ST, MILES AWAY FROM GAS STORAGE FACILITY.

DEC Investigator Remarks:

1/27/12 LINDENFELSER CHECKS AIR OUTSIDE BATH OFFICE WHICH IS CLOSER TO GAS STORAGE FACILITY AND SMELLS NOTHING ON WIND COMING FROM THAT DIRECTION.

TOM WICKERHAM OF AIR DIVISION WRITES, We took the call (sounds like she called everyone in sight) and contacted the facility. Savona Storage (formerly Bath Petrol. Storage) has been transferring product (propane) to tank trucks and manually injecting odorant to each load. A little odorant is released when the hoses are disconnected for each truck. The local weather pattern has not been conducive to good dispersal, so the stink is moving off site. The facility is aware and will make efforts to minimize the problem. This is logged in our complaint database.

NO FURTHER ACTION BY SPILLS IS NECESSARY.